

MONO DESIGNER FELT



111
WHITE
③ ⑤



121
YELLOW
② ③ ⑤



131
ORANGE
② ③ ⑤



132
MANGO
③ ⑤



133
BRIGHT RED
③ ⑤



134
DARK RED
② ③ ③



141
BURGUNDY
③ ⑤



142
FUCHSIA
② ③ ⑤



144
PINK
③ ⑤



145
LAVENDER
③ ⑤



143
PURPLE
③ ⑤




151
APPLE GREEN
③ ⑤




152
OLIVE
② ③ ⑤




153
KELLY GREEN
③ ⑤



154
TEAL
③ ⑤



155
FOREST GREEN
③ ⑤



161
LIGHT BLUE
② ③ ⑤




162
BLUE
② ③ ⑤




164
ELECTRIC BLUE
③ ⑤




163
DARK BLUE
③ ⑤



171
LIGHT BROWN
③ ⑤




172
COFFEE
② ③ ⑤




173
CHOCOLATE
③ ⑤



181
LIGHT GREY
③ ⑤



182
DARK GREY
② ③ ⑤



183
BLACK
② ③ ⑤

Please refer to the numerals under each colour name to determine which thicknesses are produced in that colour.

② 2mm (1/16 in)
③ 3mm (1/8 in)
⑤ 5mm (3/16 in)

* Please note: colours which appear online or in print may differ slightly from actual felt. Slight colour variation may occur from dye lot to dye lot.

NATURAL DESIGNER FELT




311
WOOL WHITE

② ③




312
RAW WHITE

② ③




381
CONCRETE GREY

② ③




382
PEBBLE GREY

② ③




383
STONE GREY

② ③



384
CHARCOAL

② ③



371
BURNT OAK

② ③

Please refer to the numerals under each colour name to determine which thicknesses are produced in that colour.

② 2mm (1/16 in)

③ 3mm (1/8 in)


⑤ 5mm (3/16 in)

** Please note: colours which appear online or in print may differ slightly from actual felt. Slight colour variation may occur from dye lot to dye lot.*


DUO DESIGNER FELT




221
VANILLA
③




222
PALE YELLOW
③




231
BURNT ORANGE
③



232
MANGO ORANGE
③




233
FLAME RED
③



241
ROSE PINK
③



251
MEADOW GREEN
③



261
SKY BLUE
③



271
SIERRA BROWN
③



272
SAND
③



275
TAUPE
③ ⑤



273
TERRACOTTA
③



274
ASH BROWN
③

Please refer to the numerals under each colour name to determine which thicknesses are produced in that colour.

② 2mm (1/16 in)
 ③ 3mm (1/8 in)
 ⑤ 5mm (3/16 in)




** Please note: colours which appear online or in print may differ slightly from actual felt. Slight colour variation may occur from dye lot to dye lot.*

DESIGNER FELT - TECHNICAL DATA SHEET

General Properties		
Minimum Wool Content	100%	
Nominal Specific Density	0.28 - 0.30 g/cm ³	
Standard Width	180 cm	70.9"

Thickness and Weight Metric System		
Thickness		Weight
Nominal	Limits	Nominal
② 2mm (approx. 1/16 in)	1.7 - 2.3	1008 - 1080 g/lin. Meter (Approx. 560 - 600 g/m ²)
③ 3mm (approx. 1/8 in)	2.7 - 3.3	1512 - 1660 g/lin. Meter (Approx. 840 - 922 g/m ²)
⑤ 5mm (approx. 3/16 in)	4.6 - 5.4	2520 - 2700 g/lin. Meter (Approx. 1400 - 1500 g/m ²)

Flammability	
ASTM E84	Class A

Environmental	
Oeko-Tex® Standard 100 - Product Class I	
Registration, Evaluation, Authorisation of Chemicals (REACH) VO (EG) Nr. 1907/2006	
Guideline for the restriction of certain hazardous substances in electrical and electronic equipment (RoHS) 2011/65/EU	

Visit <http://www.brandfelt.com> for complete information.

** Please note: colours which appear online or in print may differ slightly from actual felt. Slight colour variation may occur from dye lot to dye lot.*